

GRAZER WHT






This unique fixture utilizes high performance white LEDs in order to provide uninterrupted dispersion of intense white light in either 3200°K or 5500°K. Available in 2'-0" lengths, the Grazer is highly adjustable and is great end-to-end or positioned around curves and other complicated structures. Grazer has 8, 24 and 70x15 optic options making, this fixture compliant to most projects.

Technical Specifications

Model number		G-W32	G-W55
Output	Beam Spread(s)	8°, 24°, 75 x 15°	
	Lumens	See photometric information.	
	Color Temperature	3200°K	5500°K
	Lumen Depreciation	75,000 hours with 30% lumen depreciation	
Electrical	Input Voltage	24VDC	
	Power Consumption	21W	
Physical	Dimensions	24 x 3.1 x 3.3 in (611.2 x 79.6 x 85.4 mm)	
	Weight	3.2 lbs (1.45 kg)	
	Housing	Anodized grey aluminum finish	
	Fixture Lead Length	10'-0" (3.0 m)	
	Mounting	220°, multi-positional, central pivot, locking bracket	
	Operating Temperature	-7.6 to 131° F (-22° C to 55° C)	
Control	Interface	Power On/Off	
Certification and Safety	Certification	UL 2108, CSA C22.2.2 NO. 250.0-04	
	Environment	Dry/Damp/Wet Location, IP66	

Due to continuous improvements and innovations, specifications may change without notice.

Standard order code (Use only the **bolded text** in your code)

Product	Output	Output
		
G (Grazer)	W32 (Warm 3200K White) W55 (Cool 5500K White)	008 (8-Degree) 024 (24-Degree) 7015 (70 x 15-Degree)

GRAZER WHT



Fixture

